

Пиковые значения собственных шумов установки

за сентябрь 1961 г.

г. Ашхабад

| | | | | | | | | |
|-------------------------------|------|-------|-------|-------|-------|-------|-------|-------|
| f кГц | 100 | 350 | 750 | 1000 | 2500 | 5000 | 7500 | 10000 |
| $E_{\text{пик. ш.}}$ мкВ/м | 2,36 | 0,468 | 0,399 | 0,389 | 0,520 | 0,288 | 0,403 | 0,636 |

Сентябрь 1961 г.

Характеристика Ер мкв/м

f₀ 100 кгц

АТМОСФЕРНЫЕ РАДИОПОМЕХИ

Сводная таблица P(E)

Станция Ашхабад

Декретное время 00г. 15 мин. долгота 58° 18' широта 37° 55'

| Дни | E _{0.02} | E _{0.1} | E _{0.2} | E _{0.3} | E _{0.4} | E _{0.5} | E _{0.6} | E _{0.7} | E _{0.8} | E _{0.9} | E _{пик} | E | Частота f кгц | Время час. мин. |
|--------|-------------------|------------------|------------------|------------------|------------------|-------------------------|------------------|------------------|------------------|------------------|------------------|--------|------------------|--------------------|
| 1 | | | | | | Станции | | | | | | | 100 | 00.20 |
| 2 | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | |
| 5 | | | | | | Несправность аппаратуры | | | | | | | | |
| 6 | | | | | | | | | | | | | | |
| 7 | | | | | | Станции | | | | | | | 100 | 00.15 |
| 8 | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | |
| 13 | 8.75 | 5.25 | 3.65 | 2.63 | 2.04 | 1.6 | 1.31 | 1.02 | 0.73 | 0.438 | 54.3 | 14.6 | 109 | 00.20 |
| 14 | | | | | | | | | | | | | | |
| 15 | 19.62 | 16.82 | 14.1 | 12.05 | 10.09 | 8.127 | 6.17 | 4.71 | 3.22 | 1.68 | 61.655 | 28.025 | 112.5 | 00.22 |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | |
| 27 | | | | | | Промышленные помехи | | | | | | | 100 | 00.09 |
| 28 | | | | | | | | | | | | | | |
| 29 | 13.3 | 6.65 | 3.69 | 2.46 | 1.97 | 1.47 | 1.23 | 0.984 | 0.615 | 0.446 | 111 | 24.6 | 110 | 00.20 |
| 30 | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | |
| М | 13.3 | 6.62 | 3.69 | 2.63 | 2.04 | 1.6 | 1.31 | 1.02 | 0.73 | 0.446 | 61.655 | 24.6 | | |
| мкс. | 19.62 | 16.82 | 14.1 | 12.05 | 10.09 | 8.127 | 6.17 | 4.71 | 3.22 | 1.68 | 111 | 28.025 | | |
| мин. | 8.75 | 5.25 | 3.65 | 2.46 | 1.97 | 1.47 | 1.23 | 0.984 | 0.615 | 0.438 | 54.3 | 14.6 | | |
| учтено | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |

Составил Е.В.

Проверил Б.С.

Сентябрь 1967 г.

Характеристика Ер мкв/м

f₀ 100 кгц

АТМОСФЕРНЫЕ РАДИОПОМЕХИ

Сводная таблица Р(Е)

Станция Амхабад

Декретное время 03.15 мин. долгота 58°18' широта 37°55'

| Дни | E _{0.02} | E _{0.1} | E _{0.2} | E _{0.3} | E _{0.4} | E _{0.5} | E _{0.6} | E _{0.7} | E _{0.8} | E _{0.9} | E _{лик} | E | Частота f кгц | Время час. мин. |
|--------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------|------------------|--------------------|
| 1 | | | | | Станция | | | | | | | | 100 | 03.15 |
| 2 | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | |
| 5 | | | | | Несправность | | | аппаратуры | | | | | | |
| 6 | | | | | | | | | | | | | | |
| 7 | 3.99 | 1.46 | 0.998 | 0.798 | 0.665 | 0.532 | 0.399 | 0.266 | 0.133 | 0.066 | 20.9 | 6.65 | 91 | 03.12 |
| 8 | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | |
| 13 | 18.1 | 9.05 | 6.12 | 4.8 | 4 | 3.2 | 2.93 | 2.39 | 1.6 | 0.798 | 93 | 26.6 | 110 | 03.15 |
| 14 | | | | | | | | | | | | | | |
| 15 | 20.499 | 12.188 | 7.48 | 5.62 | 4.43 | 3.6 | 2.77 | 2.22 | 1.38 | 0.83 | 78.489 | 27.702 | 110.5 | 03.18 |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | |
| 27 | 21.7 | 10.3 | 6.35 | 4.84 | 3.62 | 3.02 | 2.42 | 1.52 | 0.906 | 0.604 | 116 | 30.2 | 106 | 03.25 |
| 28 | | | | | | | | | | | | | | |
| 29 | 14.9 | 7.73 | 4.7 | 3.59 | 2.76 | 2.21 | 1.93 | 1.38 | 0.828 | 0.552 | 116 | 27.6 | 109 | 03.15 |
| 30 | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | |
| М | 18.1 | 9.05 | 6.12 | 4.8 | 3.62 | 3.02 | 2.42 | 1.52 | 0.906 | 0.604 | 93 | 27.6 | | |
| макс. | 21.7 | 12.188 | 7.48 | 5.62 | 4.43 | 3.6 | 2.93 | 2.39 | 1.6 | 0.83 | 116 | 30.2 | | |
| мин. | 3.99 | 1.46 | 0.998 | 0.798 | 0.665 | 0.532 | 0.399 | 0.266 | 0.133 | 0.066 | 20.9 | 6.65 | | |
| учтено | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |

Составил Е. В.

Проверил Б. С.

Сентябрь 1961 г.

Характеристика Ер кв/м

f₀ 100 кгц

АТМОСФЕРНЫЕ РАДИОПОМЕХИ

Сводная таблица P(E)

Станция АшхабадДекретное время 12.15 мин. долгота 58°18' широта 37°55'

| Дни | E _{0.02} | E _{0.1} | E _{0.2} | E _{0.3} | E _{0.4} | E _{0.5} | E _{0.6} | E _{0.7} | E _{0.8} | E _{0.9} | E _{лик} | E | Частота f кгц | Время час. мин. |
|--------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-------|------------------|--------------------|
| 1 | 2.12 | 1.36 | 1.06 | 0.863 | 0.73 | 0.597 | 0.498 | 0.398 | 0.266 | 0.133 | 11.3 | 3.32 | 93 | 12.10 |
| 2 | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | 100 | 12.25 |
| 7 | 2.74 | 1.22 | 0.942 | 0.76 | 0.64 | 0.55 | 0.43 | 0.304 | 0.212 | 0.0912 | 8.74 | 3.04 | 102 | 12.16 |
| 8 | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | | |
| 15 | 4.71 | 1.97 | 1.44 | 1.05 | 0.785 | 0.655 | 0.523 | 0.393 | 0.262 | 0.262 | 37.1 | 13.1 | 100 | 12.20 |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | 2.1 | 1.46 | 1.28 | 1.14 | 1 | 0.867 | 0.73 | 0.594 | 0.456 | 0.274 | 19.4 | 4.56 | 100 | 12.15 |
| 20 | | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | |
| 25 | 0.96 | 0.683 | 0.563 | 0.48 | 0.408 | 0.36 | 0.3 | 0.24 | 0.18 | 0.12 | 4.45 | 1.2 | 110 | 12.20 |
| 26 | | | | | | | | | | | | | | |
| 27 | 1.87 | 1.065 | 0.872 | 0.743 | 0.645 | 0.533 | 0.452 | 0.355 | 0.258 | 0.162 | 10.33 | 3.23 | 93 | 12.13 |
| 28 | | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | 100 | 12.15 |
| 30 | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | |
| М | 2.11 | 1.29 | 1.001 | 0.8115 | 0.6875 | 0.5735 | 0.475 | 0.374 | 0.26 | 0.1475 | 10.815 | 3.275 | | |
| макс. | 4.71 | 1.97 | 1.44 | 1.14 | 1 | 0.864 | 0.73 | 0.594 | 0.456 | 0.274 | 37.1 | 13.1 | | |
| мин. | 0.96 | 0.683 | 0.563 | 0.48 | 0.408 | 0.36 | 0.3 | 0.24 | 0.18 | 0.0912 | 4.45 | 1.2 | | |
| учтено | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |

Составил Б. С.Проверил Б. С.

Сентябрь 1961 г.

Характеристика Ер мкв/м

f₀ 100 кгц

АТМОСФЕРНЫЕ РАДИОПОМЕХИ

Сводная таблица P(E)

Станция Ашхабад

Декретное время 152.15 мин. долгота 58°18' широта 37°55'

| Дни | E _{0.02} | E _{0.1} | E _{0.2} | E _{0.3} | E _{0.4} | E _{0.5} | E _{0.6} | E _{0.7} | E _{0.8} | E _{0.9} | E _{пик} | E | Частота f кгц | Время час. мин. |
|--------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-------|------------------|--------------------|
| 1 | 0.61 | 1.845 | 1.23 | 1.025 | 0.82 | 0.82 | 0.615 | 0.41 | 0.205 | - | 72.9 | 20.5 | 93 | 15.10 |
| 2 | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | |
| 5 | 8.8 | 3.34 | 2.12 | 1.498 | 1.231 | 1.059 | 0.792 | 0.616 | 0.44 | 0.176 | 27.8 | 8.8 | 93 | 15.29 |
| 6 | | | | | | | | | | | | | | |
| 7 | 2.59 | 14.75 | 8.8 | 6.2 | 4.66 | 3.62 | 2.85 | 2.07 | 1.29 | 0.26 | 70.5 | 25.9 | 105 | 15.25 |
| 8 | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | | |
| 15 | 3.33 | 1.87 | 1.41 | 1.11 | 0.96 | 0.757 | 0.656 | 0.553 | 0.455 | 0.303 | 17.3 | 5.05 | 108 | 15.20 |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | |
| 25 | 1.8 | 1.36 | 1.16 | 0.98 | 0.84 | 0.72 | 0.6 | 0.48 | 0.38 | 0.24 | 7.65 | 2 | 100 | 15.22 |
| 26 | | | | | | | | | | | | | | |
| 27 | | | | | Собственные шумы | | | | | | | | 100 | 15.10 |
| 28 | | | | | | | | | | | | | | |
| 29 | 1.89 | 1.065 | 0.823 | 0.702 | 0.581 | 0.46 | 0.363 | 0.266 | 0.145 | 0.048 | 8.721 | 2.422 | 95 | 15.17 |
| 30 | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | |
| М | 5.97 | 18575 | 1.32 | 1.0675 | 0.9 | 0.7885 | 0.6355 | 0.5175 | 0.41 | 0.24 | 22.55 | 6.925 | | |
| макс. | 25.9 | 14.75 | 8.8 | 6.2 | 4.66 | 3.62 | 2.85 | 2.07 | 1.29 | 0.303 | 72.9 | 25.9 | | |
| мин. | 1.8 | 1.065 | 0.823 | 0.702 | 0.581 | 0.46 | 0.363 | 0.266 | 0.145 | 0.048 | 7.65 | 2 | | |
| учтено | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 5 | 6 | 6 | | |

Составил В.В.

Пр. зерила Д.С.

Сентябрь 1961 г.

Характеристика Ер мкв/м

f₀ 100 кгц

АТМОСФЕРНЫЕ РАДИОПОМЕХИ

Сводная таблица P(E)

Станция Амхабад

Декретное время 182.15 мин. долгота 58°18' широта 37°55'

| Дни | E _{0.02} | E _{0.1} | E _{0.2} | E _{0.3} | E _{0.4} | E _{0.5} | E _{0.6} | E _{0.7} | E _{0.8} | E _{0.9} | E _{пик} | E | Частота f кгц | Время час. мин. |
|--------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------|------------------|--------------------|
| 1 | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | |
| 5 | 5.05 | 3.18 | 2.19 | 1.73 | 1.4 | 1.2 | 0.995 | 0.796 | 0.664 | 0.398 | 29.2 | 6.64 | 100 | 18.19 |
| 6 | | | | | | | | | | | | | | |
| 7 | 3.48 | 1.94 | 1.23 | 0.775 | 0.516 | 0.387 | 0.258 | 0.129 | 0.065 | - | 27.4 | 6.45 | 104 | 18.11 |
| 8 | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | |
| 21 | 2.66 | 1.6 | 1.28 | 1.07 | 0.906 | 0.746 | 0.64 | 0.533 | 0.374 | 0.213 | 20 | 5.33 | 103 | 18.15 |
| 22 | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | 100 | 18.15 |
| 28 | | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | |
| М | 3.48 | 1.94 | 1.28 | 1.07 | 0.906 | 0.746 | 0.64 | 0.533 | 0.374 | 0.213 | 27.4 | 6.45 | | |
| макс. | 5.05 | 3.18 | 2.19 | 1.73 | 1.4 | 1.2 | 0.995 | 0.796 | 0.664 | 0.398 | 29.2 | 6.64 | | |
| мин. | 2.66 | 1.6 | 1.23 | 0.775 | 0.516 | 0.387 | 0.258 | 0.129 | 0.065 | 0.213 | 20 | 5.33 | | |
| учтено | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | | |

Неисправность аппаратуры

Собственные шумы

Составил Е. А.

Проверил Б. С.

Сентябрь 1961 г.

Характеристика Ер кв/м

f₀ 100 кгц

АТМОСФЕРНЫЕ РАДИОПОМЕХИ

Сводная таблица P(E)

Станция Ашхабад

Декретное время 21.15 мин долгота 58°18' широта 37°55'

| Дни | E _{0.02} | E _{0.1} | E _{0.2} | E _{0.3} | E _{0.4} | E _{0.5} | E _{0.6} | E _{0.7} | E _{0.8} | E _{0.9} | E _{лик} | E | Частота f кгц | Время час. мин. |
|--------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------|------------------|--------------------|
| 1 | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | |
| 5 | 15.4 | 5.42 | 3.42 | 2.56 | 2 | 1.71 | 1.28 | 1.14 | 0.855 | 0.57 | 100 | 28.5 | 100 | 21.22 |
| 6 | | | | | | | | | | | | | | |
| 7 | 56.2 | 24.3 | 14.5 | 10.6 | 7.6 | 5.32 | 3.8 | 3.04 | 1.52 | - | 195 | 76 | 105 | 21.15 |
| 8 | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | |
| 13 | 24.7 | 10.1 | 5.92 | 3.7 | 2.47 | 1.73 | 0.988 | 0.74 | 0.494 | 0.247 | 74.1 | 24.7 | 110 | 21.12 |
| 14 | | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | | |
| 21 | 6.6 | 3.91 | 2.99 | 2.37 | 1.96 | 1.65 | 1.44 | 1.13 | 0.926 | 0.618 | 42.8 | 10.3 | 107 | 21.20 |
| 22 | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | 100 | 21.15 |
| 28 | | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | |
| М | 20.05 | 7.76 | 4.67 | 3.13 | 2.235 | 1.72 | 1.36 | 1.135 | 0.8905 | 0.57 | 87.05 | 26.6 | | |
| макс. | 56.2 | 24.3 | 14.5 | 10.6 | 7.6 | 5.32 | 3.8 | 3.04 | 1.52 | 0.618 | 195 | 76 | | |
| мин. | 6.6 | 3.91 | 2.99 | 2.37 | 1.96 | 1.65 | 0.988 | 0.74 | 0.494 | 0.247 | 42.8 | 10.3 | | |
| учтено | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | | |

Собственные

шумы

Составил З.Х.

Проверил Б.С.

Сентябрь 1961 г.

Характеристика Ер мкв/м

f_0 350 кгц

АТМОСФЕРНЫЕ РАДИОПОМЕХИ

Сводная таблица Р(Е)

Станция Ашхабад

Декретное время 03г. 15 мин. долгота 58°18' широта 37°55'

| Дни | E _{0.02} | E _{0.1} | E _{0.2} | E _{0.3} | E _{0.4} | E _{0.5} | E _{0.6} | E _{0.7} | E _{0.8} | E _{0.9} | E _{пик} | E | Частота f кгц | Время час. мин. |
|--------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-------|------------------|--------------------|
| 1 | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | |
| 6 | 4.45 | 2 | 1.25 | 0.912 | 0.684 | 0.57 | 0.456 | 0.285 | 0.228 | 0.114 | 18.25 | 5.7 | 350 | 03.16 |
| 7 | | | | | | | | | | | | | | |
| 8 | 2.86 | 15.6 | 10.4 | 7.79 | 6.05 | 4.33 | 3.03 | 1.73 | 0.865 | — | 12.0 | 43.3 | 358 | 03.20 |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | 13.7 | 7.45 | 5.77 | 4.4 | 3.19 | 2.28 | 1.67 | 1.06 | 0.608 | 0.152 | 45.6 | 15.2 | 350 | 03.19 |
| 13 | | | | | | | | | | | | | | |
| 14 | | | | | | <u>Станция</u> | | | | | | | 350 | 03.15 |
| 15 | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | | |
| 20 | 7.223 | 2.81 | 1.739 | 1.204 | 0.803 | 0.535 | 0.32 | 0.24 | 0.067 | 0.013 | 31.616 | 13.76 | 348 | 03.25 |
| 21 | | | | | | | | | | | | | | |
| 22 | 9.11 | 3.95 | 1.82 | 1.22 | 0.911 | 0.685 | 0.608 | 0.456 | 0.304 | 0.228 | 7.6 | 15.2 | 341 | 03.20 |
| 23 | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | | |
| 28 | 23.56 | 14.1 | 10.38 | 8.47 | 7.05 | 5.65 | 4.7 | 3.76 | 2.59 | 1.41 | 70.68 | 23.56 | 343 | 03.25 |
| 29 | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | |
| М | 11.405 | 5.7 | 3.795 | 2.81 | 2.0505 | 1.4825 | 1.139 | 0.758 | 0.456 | 0.152 | 58.14 | 15.2 | | |
| макс. | 2.86 | 15.6 | 10.4 | 8.47 | 7.05 | 5.65 | 4.7 | 3.76 | 2.59 | 1.41 | 12.0 | 43.3 | | |
| мин. | 4.45 | 2 | 1.25 | 0.912 | 0.684 | 0.535 | 0.321 | 0.24 | 0.067 | 0.013 | 18.25 | 5.7 | | |
| учтено | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 5 | 6 | 6 | | |

Составил В. Е. Ж.

Проверил Ш. Ж.

Сентябрь 1961 г.

Характеристика Ер мкв/м

f₀ 750 кгц

АТМОСФЕРНЫЕ РАДИОПОМЕХИ

Сводная таблица Р(Е)

Станция Ашхабад

Декретное время 03.30

долгота 58°18' широта 37°55'

| Дни | E _{0.02} | E _{0.1} | E _{0.2} | E _{0.3} | E _{0.4} | E _{0.5} | E _{0.6} | E _{0.7} | E _{0.8} | E _{0.9} | E _{лик} | E | Частота f кгц | Время час. мин. |
|--------|-------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------|------------------|--------------------|
| 1 | 14.6 | 4.86 | 3.16 | 1.94 | 1.46 | 0.973 | 0.73 | 0.486 | 0.486 | 0.243 | 72.9 | 24.3 | 744 | 03.22 |
| 2 | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | 750 | 03.21 |
| 8 | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | |
| 13 | 1.75 | 0.966 | 0.634 | 0.513 | 0.452 | 0.392 | 0.332 | 0.302 | 0.241 | 0.151 | 13.3 | 3.02 | 764 | 03.30 |
| 14 | | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | 750 | 03.22 |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | 750 | 03.30 |
| 20 | | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | |
| 27 | 5.63 | 1.988 | 1.324 | 0.91 | 0.662 | 0.414 | 0.248 | 0.165 | 0.082 | 0.016 | 37.26 | 8.28 | 764 | 03.43 |
| 28 | | | | | | | | | | | | | | |
| 29 | 2.53 | 1.22 | 0.755 | 0.461 | 0.338 | 0.253 | 0.211 | 0.169 | 0.105 | 0.042 | 19 | 4.22 | 767 | 03.25 |
| 30 | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | |
| М | 4.02 | 1.604 | 1.0395 | 0.7115 | 0.557 | 0.403 | 0.29 | 0.2355 | 0.143 | 0.0965 | 28.13 | 6.25 | | |
| макс. | 14.6 | 4.86 | 3.16 | 1.94 | 1.46 | 0.973 | 0.73 | 0.486 | 0.486 | 0.243 | 72.9 | 24.3 | | |
| мин. | 1.75 | 0.966 | 0.634 | 0.461 | 0.338 | 0.253 | 0.211 | 0.165 | 0.082 | 0.016 | 13.3 | 3.02 | | |
| учтено | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |

Составил Е. В.

Проверил Ш. Ж.

Сентябрь 1961 г.
Характеристика Ер мкв/м
f₀ 750 кгц

АТМОСФЕРНЫЕ РАДИОПОМЕХИ

Сводная таблица P(E)

Декретное время 21.30

долгота 58°18'

Станция Ашхабад

широта 37°55'

| Дни | E _{0.02} | E _{0.1} | E _{0.2} | E _{0.3} | E _{0.4} | E _{0.5} | E _{0.6} | E _{0.7} | E _{0.8} | E _{0.9} | E _{пнк} | E | Частота f кгц | Время час. мин. |
|--------|-------------------|------------------|------------------|------------------|------------------|--------------------------|------------------|------------------|------------------|------------------|------------------|-------|------------------|--------------------|
| 1 | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | |
| 5 | | | | | | Станция | | | | | | | 750 | 21.35 |
| 6 | | | | | | | | | | | | | | |
| 7 | 11 | 6.01 | 3.89 | 2.83 | 2.12 | 1.59 | 1.06 | 0.885 | 0.53 | 0.177 | 53 | 17.7 | 783 | 21.25 |
| 8 | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | |
| 11 | | | | | | Станция | | | | | | | 750 | 21.30 |
| 12 | | | | | | | | | | | | | | |
| 13 | | | | | | Станция | | | | | | | 750 | 21.30 |
| 14 | | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | | |
| 19 | | | | | | Неисправность аппаратуры | | | | | | | | |
| 20 | | | | | | | | | | | | | | |
| 21 | | | | | | Станция | | | | | | | 750 | 21.30 |
| 22 | | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | | |
| 27 | 14.62 | 8.22 | 5.47 | 4.02 | 2.92 | 2.19 | 14.62 | 1.096 | 0.728 | 0.183 | 57.42 | 18.27 | 780 | 21.21 |
| 28 | | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | | |
| 31 | | | | | | | | | | | | | | |
| М | | | | | | | | | | | | | | |
| макс. | | | | | | | | | | | | | | |
| мин. | | | | | | | | | | | | | | |
| учтено | | | | | | | | | | | | | | |

Составил _____

Проверил Ш. Ж.