

Обсерватория Сиркуток

Принятые значения цен, делений шкалы контрольной серии

| °D | | | °H | | | °I | | |
|----|-----------------------------------|-----------|----|-----------------------------------|------------------|----|-----------------------------------|------------------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | $0.51/мм$ | | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | $3.0^{\circ}/мм$ | | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | $3.0^{\circ}/мм$ |
| | | | | | | | ET | |
| | | | | | | | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | $1.3^{\circ}/мм$ |

Принятые базисные значения

| D ₀ | | | H ₀ | | | I ₀ | | |
|----------------|-----------------------------------|--------------------|----------------|-----------------------------------|--------|----------------|------------------------------------|--------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | $-2^{\circ} 00.5'$ | | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | 19098 | | $0^{\circ} 1/2 - 24^{\circ} 9/2$ | 56982 |
| | | | | $0^{\circ} 1/2 - 24^{\circ} 28/2$ | 19099 | | $0^{\circ} 8/2 - 24^{\circ} 14/2$ | 56980 |
| | | | | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | 19098 | | $0^{\circ} 15/2 - 24^{\circ} 31/2$ | 56976 |
| | | | | | | | $0^{\circ} 1/2 - 24^{\circ} 17/2$ | 56978 |
| | | | | | | | $0^{\circ} 18/2 - 24^{\circ} 28/2$ | 56976 |
| | | | | | | | $0^{\circ} 1/2 - 24^{\circ} 13/2$ | 56978 |
| | | | | | | | $0^{\circ} 13/2 - 24^{\circ} 21/2$ | 56983 |
| | | | | | | | $0^{\circ} 22/2 - 24^{\circ} 31/2$ | 56988 |
| | | | | | | | T | |
| | | | | | | | $0^{\circ} 1/2 - 24^{\circ} 9/2$ | 60165 |
| | | | | | | | $0^{\circ} 10/2 - 24^{\circ} 19/2$ | 60162 |
| | | | | | | | $0^{\circ} 20/2 - 24^{\circ} 10/2$ | 60160 |
| | | | | | | | $0^{\circ} 11/2 - 24^{\circ} 19/2$ | 60165 |
| | | | | | | | $0^{\circ} 20/2 - 24^{\circ} 31/2$ | 60168 |

Принятые значения цен, делений шкалы Цркутек 1

| °D | | | °H | | | °I | | |
|----|------------------------------------|-------------|----|------------------------------------|------------------|----|------------------------------------|------------------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| | $0^{\circ}1/III - 24^{\circ}30/IX$ | $0.35''/MM$ | | $0^{\circ}1/III - 24^{\circ}30/IX$ | $3.0^{\circ}/MM$ | | $0^{\circ}1/III - 24^{\circ}30/IX$ | $2.4^{\circ}/MM$ |
| | | | | | | | ET | |
| | | | | | | | $0^{\circ}1/III - 24^{\circ}30/IX$ | $1.7^{\circ}/MM$ |

Принятые базисные значения Цркутек 1

| D ₀ | | | H ₀ | | | I ₀ | | |
|----------------|-------------------------------------|-------------------|----------------|-------------------------------------|-----------------|----------------|-------------------------------------|-----------------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| | $0^{\circ}1/III - 24^{\circ}31/III$ | $-1^{\circ}57.0'$ | | $0^{\circ}1/III - 24^{\circ}31/III$ | 19093° | | $0^{\circ}1/III - 24^{\circ}31/III$ | 56986 |
| | $0^{\circ}1/III - 24^{\circ}30/IX$ | $-1^{\circ}56.7$ | | $0^{\circ}1/III - 24^{\circ}30/IX$ | 19095° | | $0^{\circ}1/III - 24^{\circ}30/IX$ | 56985 |
| | | | | | | | To | |
| | | | | | | | $0^{\circ}1/III - 24^{\circ}30/IX$ | 60160° |

