

Обсерватория Иркутск

Принятые значения цен, делений шкалы Иркутск 1

°D			°H			°Z		
с	по	велич.	с	по	велич.	с	по	велич.
	$0^{\circ}1/2' - 24^{\circ}31/2'$	0.35'/мм		$0^{\circ}1/2' - 24^{\circ}31/2'$	30'/мм		$0^{\circ}1/2' - 24^{\circ}31/2'$	2.4'/мм
							СТ	
							$0^{\circ}1/2' - 24^{\circ}31/2'$	1.7'/мм

Принятые базисные значения

D ₀			H ₀			Z ₀		
с	по	велич.	с	по	велич.	с	по	велич.
	$0^{\circ}1/2' - 24^{\circ}31/2'$	-1°55'6		$0^{\circ}1/2' - 24^{\circ}31/2'$	19093		$0^{\circ}1/2' - 24^{\circ}31/2'$	56999
							$0^{\circ}1/2' - 24^{\circ}31/2'$	57001
							Т ₀	
							$0^{\circ}1/2' - 24^{\circ}28/2'$	60203
							$0^{\circ}1/2' - 24^{\circ}31/2'$	60204

Обсерватория Црквицк

Принятые значения, цен, делений шкалы Црквицк 2

°D			°H			°Z		
с	по	велич.	с	по	велич.	с	по	велич.
	$0^{\circ} 1' \bar{1} - 24^{\circ} 31' \bar{1}$	$0.51/мм$		$0^{\circ} 1' \bar{1} - 24^{\circ} 31' \bar{1}$	$3.0/мм$		$0^{\circ} 1' \bar{1} - 24^{\circ} 31' \bar{1}$	$3.0/мм$
							$\bar{2} \bar{7}$	
							$0^{\circ} 1' \bar{1} - 24^{\circ} 31' \bar{1}$	$13/мм$

Принятые базисные значения

D ₀			H ₀			Z ₀		
с	по	велич.	с	по	велич.	с	по	велич.
	$0^{\circ} 1' \bar{1} - 24^{\circ} 31' \bar{1}$	$-2^{\circ} 00.0'$		$0^{\circ} 1' \bar{1} - 24^{\circ} 31' \bar{1}$	19061		$0^{\circ} 1' \bar{1} - 24^{\circ} 15' \bar{1}$	57064
	$0^{\circ} 1' \bar{1} - 24^{\circ} 28' \bar{1}$	$-1^{\circ} 59.9'$					$0^{\circ} 16' \bar{1} - 24^{\circ} 31' \bar{1}$	57062
	$0^{\circ} 1' \bar{1} - 24^{\circ} 31' \bar{1}$	$-1^{\circ} 59.8$					$0^{\circ} 1' \bar{1} - 24^{\circ} 14' \bar{1}$	57060
							$0^{\circ} 15' \bar{1} - 24^{\circ} 20' \bar{1}$	57058
							$0^{\circ} 21' \bar{1} - 24^{\circ} 28' \bar{1}$	57059
							$0^{\circ} 1' \bar{1} - 24^{\circ} 21' \bar{1}$	57062
							$0^{\circ} 22' \bar{1} - 24^{\circ} 31' \bar{1}$	57066
							\bar{T}_0	
							$0^{\circ} 1' \bar{1} - 24^{\circ} 22' \bar{1}$	60215
							$0^{\circ} 23' \bar{1} - 24^{\circ} 31' \bar{1}$	60213
							$0^{\circ} 1' \bar{1} - 24^{\circ} 28' \bar{1}$	60211
							$0^{\circ} 1' \bar{1} - 24^{\circ} 24' \bar{1}$	60214
							$0^{\circ} 25' \bar{1} - 24^{\circ} 31' \bar{1}$	60217

Принятые значения цен, делений шкалы Цркуток 1

°D			°H			°I		
с	по	велич.	с	по	велич.	с	по	велич.
0° 1/10	24° 30/10	0.36/мм	0° 1/10	24° 30/10	3.1°/мм	0° 1/10	24° 30/10	2.4°/мм
						EГ		
						0° 1/10	24° 30/10	1.8°/мм

Принятые базисные значения

D ₀			H ₀			I ₀		
с	по	велич.	с	по	велич.	с	по	велич.
0° 1/10	24° 30/10	-1° 55.6	0° 1/10	24° 30/10	19093	0° 1/10	24° 30/10	57003
0° 1/10	24° 30/10	-1° 55.8	0° 1/10	24° 30/10	19092	0° 1/10	24° 30/10	57071
0° 1/10	24° 30/10	-1° 56.0	0° 1/10	24° 30/10	19028	T		
						0° 1/10	24° 30/10	60202

Обсерватория Цркуток

Принятые значения цен, делений шкалы Цркуток-2

°D			°H			°L		
с	по	велич.	с	по	велич.	с	по	велич.
	$0^{\circ}1/11 - 24^{\circ}30/11$	$0.57/1111$		$0^{\circ}1/11 - 24^{\circ}30/11$	$3.0/1111$		$0^{\circ}1/11 - 24^{\circ}30/11$	$3.0/1114$
							СТ	
							$0^{\circ}1/11 - 24^{\circ}30/11$	$1.5/1114$

Принятые базисные значения

D ₀			H ₀			L ₀		
с	по	велич.	с	по	велич.	с	по	велич.
	$0^{\circ}1/11 - 24^{\circ}30/11$	$-2^{\circ}00.6$		$0^{\circ}1/11 - 24^{\circ}31/11$	19062		$0^{\circ}1/11 - 24^{\circ}18/11$	57073
	$0^{\circ}1/11 - 24^{\circ}31/11$	$-2^{\circ}00.2$		$0^{\circ}1/11 - 24^{\circ}30/11$	19061		$0^{\circ}19/11 - 24^{\circ}30/11$	57071
	$0^{\circ}1/11 - 24^{\circ}30/11$	$-2^{\circ}00.0$					$0^{\circ}1/11 - 24^{\circ}31/11$	57074
							$0^{\circ}1/11 - 24^{\circ}30/11$	57075
							Т	
							$0^{\circ}1/11 - 24^{\circ}18/11$	60220
							$0^{\circ}19/11 - 24^{\circ}30/11$	60219
							$0^{\circ}1/11 - 24^{\circ}30/11$	60221

Принятые значения цен, делений шкалы Цркутек 1

°D			°H			°Z		
с	по	велич.	с	по	велич.	с	по	велич.
	$0^{\circ}1'11'' - 24^{\circ}30'12''$	$0.36'/mm$		$0^{\circ}1'11'' - 24^{\circ}30'12''$	$3.1'/mm$		$0^{\circ}1'11'' - 24^{\circ}30'12''$	$2.4'/mm$
							ЕТ	
							$0^{\circ}1'11'' - 24^{\circ}30'12''$	$1.8'/mm$

Принятые базисные значения

D ₀			H ₀			Z ₀		
с	по	велич.	с	по	велич.	с	по	велич.
	$0^{\circ}1'11'' - 24^{\circ}30'12''$	$-1^{\circ}56.0$		$0^{\circ}1'11'' - 24^{\circ}30'12''$	19029		$0^{\circ}1'11'' - 24^{\circ}30'12''$	57072
							T ₀	
							$0^{\circ}1'11'' - 24^{\circ}30'12''$	60200
							$0^{\circ}1'11'' - 24^{\circ}30'12''$	60201

Обсерватория Шржучя ек

Принятые значения цен, делений шкалы Шржучя ек 2

ε _D			ε _H			ε _γ		
с	по	велич.	с	по	велич.	с	по	велич.
0°1/к	24°31/кн	0.51 /мм	0°1/к	24°31/кн	30 /мм	0°1/к	24°31/кн	3.0 /мм
						ET		
						0°1/к	24°31/кн	1.3 /мм

Принятые базисные значения

D ₀			H ₀			Z ₀		
с	по	велич.	с	по	велич.	с	по	велич.
0°1/к	24°31/к	-1°59.4'	0°1/к	24°31/к	19063	0°1/к	24°14/кн	57073
0°1/кн	24°30/кн	-1°59.4'	0°1/кн	24°30/кн	19061	0°15/кн	24°30/кн	57071
0°1/кн	24°31/кн	-1°50.5'	0°1/кн	24°31/кн	19063	0°1/кн	24°31/кн	57072
						T		
						0°1/к	24°30/к	60217
						0°1/кн	24°31/кн	60216