

Месяц II квартал

1996 г.

Обсерватория Цркутик

Принятые значения цен, делений шкалы Цркутик 1

| °D | | велич. | °H | | велич. | °γ | | велич. |
|----|-----------------------------------|-----------|----|-----------------------------------|------------------|----|-----------------------------------|------------------|
| с | по | | с | по | | с | по | |
| | $0^{\circ}1/14 - 24^{\circ}30/14$ | $0.36/мм$ | | $0^{\circ}1/14 - 24^{\circ}30/14$ | $3.1^{\circ}/мм$ | | $0^{\circ}1/14 - 24^{\circ}30/14$ | $2.4^{\circ}/мм$ |
| | | | | | | | ET | |
| | | | | | | | $0^{\circ}1/14 - 24^{\circ}30/14$ | $18^{\circ}/мм$ |

Принятые базисные значения

| D ₀ | | велич. | H ₀ | | велич. | γ ₀ | | велич. |
|----------------|------------------------------------|-------------------|----------------|-----------------------------------|--------|----------------|------------------------------------|--------|
| с | по | | с | по | | с | по | |
| | $0^{\circ}1/14 - 24^{\circ}22/14$ | $-1^{\circ}56.3'$ | | $0^{\circ}1/14 - 24^{\circ}30/14$ | 19027 | | $0^{\circ}1/14 - 24^{\circ}30/14$ | 57064 |
| | $0^{\circ}23/14 - 24^{\circ}30/14$ | $-1^{\circ}56.5'$ | | | | | $0^{\circ}1/14 - 24^{\circ}30/14$ | 57065 |
| | | | | | | | T | |
| | | | | | | | $0^{\circ}1/14 - 5^{\circ}22/14$ | 60201 |
| | | | | | | | $6^{\circ}23/14 - 24^{\circ}30/14$ | 60206 |

Обсерватория Цркуток

Принятые значения цен, делений шкалы Цркуток-2

| °D | | | °H | | | °Z | | |
|----|---------------------------------|-----------|----|---------------------------------|----------|----|---------------------------------|----------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| | $0^{\circ}1/10-24^{\circ}30/10$ | $0.51/мм$ | | $0^{\circ}1/10-24^{\circ}30/10$ | $3.0/мм$ | | $0^{\circ}1/10-24^{\circ}30/10$ | $3.0/мм$ |
| | | | | | | | ET | |
| | | | | | | | $0^{\circ}1/10-24^{\circ}30/10$ | $1.3/мм$ |

Принятые базисные значения

| D ₀ | | | H ₀ | | | Z ₀ | | |
|----------------|---------------------------------|------------------|----------------|---------------------------------|---------|----------------|----------------------------------|---------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| | $0^{\circ}1/10-24^{\circ}31/10$ | $-2^{\circ}00.1$ | | $0^{\circ}1/10-24^{\circ}30/10$ | 19027 | | $0^{\circ}1/10-24^{\circ}30/10$ | 57064 |
| | $0^{\circ}1/10-24^{\circ}30/10$ | $-2^{\circ}00.2$ | | | | | $0^{\circ}1/10-24^{\circ}30/10$ | 57065 |
| | | | | | | | T | |
| | | | | | | | $0^{\circ}1/10-24^{\circ}22/10$ | 60201 |
| | | | | | | | $0^{\circ}23/10-24^{\circ}30/10$ | 60206 |

Принятые значения цен, делений шкалы Цреутск-1

| °D | | | °H | | | °γ | | |
|-----------|------------|----------|----------|-----------|---------|----------|-----------|---------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| 0°1'/III | 24°12'/III | 0.36'/MM | 0°1'/III | 24°30'/IX | 3.1'/MM | 0°1'/III | 24°30'/IX | 24'/MM |
| 0°18'/III | 24°30'/IX | 0.37'/MM | | | | СТ | | |
| | | | | | | 0°1'/III | 24°30'/IX | 1.8'/MM |

Принятые базисные значения

| D ₀ | | | H ₀ | | | γ ₀ | | |
|----------------|-----------|----------|----------------|-----------|--------|----------------|------------|--------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| 0°1'/III | 24°30'/IX | -1°55.9' | 0°1'/III | 24°30'/IX | 19030 | 0°1'/III | 24°31'/III | 57065 |
| | | | | | | 0°1'/III | 24°31'/III | 57066 |
| | | | | | | 0°1'/IX | 24°30'/IX | 57067 |
| | | | | | | T ₀ | | |
| | | | | | | 0°1'/III | 24°31'/III | 60206 |
| | | | | | | 0°1'/IX | 24°30'/IX | 60207 |

Месяц III квартал

1986 г.

Обсерватория Циркуток

Принятые значения цен, делений шкалы Циркуток - 2

| °D | | | °H | | | °L | | |
|----------|-----------|---------|---------|----------|--------|---------|----------|--------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| 0°1/III | 24°12/III | 0.51/мм | 0°1/III | 24°30/IX | 30°/мм | 0°1/III | 24°30/IX | 30°/мм |
| 0°13/III | 24°30/IX | 0.52/мм | | | | СТ | | |
| | | | | | | 0°1/III | 24°30/IX | 13°/мм |

Принятые базисные значения

| D ₀ | | | H ₀ | | | L ₀ | | |
|----------------|-----------|----------|----------------|----------|--------|----------------|-----------|--------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| 0°1/III | 24°31/III | -1°59.8' | 0°1/III | 24°30/IX | 19061 | 0°1/III | 24°7/III | 57080 |
| 0°1/IX | 24°30/IX | -1°59.9' | | | | 0°8/III | 24°31/III | 57082 |
| | | | | | | 0°1/IX | 24°30/IX | 57081 |
| | | | | | | T ₀ | | |
| | | | | | | 0°1/III | 24°31/III | 60222 |
| | | | | | | 0°1/IX | 24°12/IX | 60221 |
| | | | | | | 0°13/IX | 24°30/IX | 60220 |

Принятые значения цен, делений шкалы Иркутск-2

| °D | | | °H | | | °I | | |
|----|-------------------|----------|----|-------------------|--------|----|-------------------|---------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| | 0°1/x - 24°31/xII | 0.52°/мм | | 0°1/x - 24°31/xII | 30°/мм | | 0°1/x - 24°31/xII | 30°/мм |
| | | | | | | | EГ | |
| | | | | | | | 0°1/x - 24°31/xII | 1.3°/мм |

Принятые базисные значения

| D ₀ | | | H ₀ | | | I ₀ | | |
|----------------|---------------------|----------|----------------|---------------------|--------|----------------|----------------------|--------|
| с | по | велич. | с | по | велич. | с | по | велич. |
| | 0°1/x - 24°30/xI | -1°59.9' | | 0°1/x - 24°31/x | 19065 | | 0°1/x - 24°31/x | 57081 |
| | 0°1/xII - 24°31/xII | -1°59.8' | | 0°1/xI - 7°12/xI | 18976 | | 0°1/xI - 7°12/xI | 57097 |
| | | | | 8°12/xI - 24°30/xII | 18975 | | 8°12/xI - 24°19/xI | 57133 |
| | | | | 0°1/xII - 24°31/xII | 18977 | | 0°20/xI - 24°30/xII | 57129 |
| | | | | | | | 0°1/xII - 24°10/xII | 57127 |
| | | | | | | | 0°11/xII - 24°21/xII | 57124 |
| | | | | | | | 0°22/xII - 24°31/xII | 57122 |
| | | | | | | | T | |
| | | | | | | | 0°1/x - 24°31/x | 60220 |
| | | | | | | | 0°1/xI - 24°21/xI | 60245 |
| | | | | | | | 0°22/xI - 24°30/xI | 60244 |
| | | | | | | | 0°1/xII - 24°9/xII | 60243 |
| | | | | | | | 0°10/xII - 24°21/xII | 60240 |
| | | | | | | | 0°22/xII - 24°31/xII | 60238 |

