

Принятые значения цен, делений шкалы Цркуток-1

| ε <sub>D</sub> |          |         | ε <sub>II</sub> |          |        | ε <sub>1</sub> |          |             |
|----------------|----------|---------|-----------------|----------|--------|----------------|----------|-------------|
| с              | по       | велич.  | с               | по       | велич. | с              | по       | велич.      |
| 0° 1/2         | 24° 31/2 | 0.39/мм | 0° 1/2          | 24° 31/2 | 3 1/мм | 0° 1/2         | 24° 31/2 | 2.4 1/14 14 |
|                |          |         |                 |          |        |                |          | Ст          |
|                |          |         |                 |          |        | 0° 1/2         | 24° 31/2 | 1.8 1/14 14 |

Принятые базисные значения

| D <sub>0</sub> |          |           | H <sub>0</sub> |          |        | Z <sub>0</sub> |          |                |
|----------------|----------|-----------|----------------|----------|--------|----------------|----------|----------------|
| с              | по       | велич.    | с              | по       | велич. | с              | по       | велич.         |
| 0° 1/2         | 24° 31/2 | 1° 56' 3" | 0° 1/2         | 24° 31/2 | 18971  | 0° 1/2         | 24° 19/2 | 57108          |
|                |          |           |                |          |        | 0° 20/2        | 24° 17/2 | 57107          |
|                |          |           |                |          |        | 0° 18/2        | 24° 31/2 | 57104          |
|                |          |           |                |          |        |                |          | T <sub>0</sub> |
|                |          |           |                |          |        | 0° 1/2         | 24° 28/2 | 60228          |
|                |          |           |                |          |        | 0° 1/2         | 24° 31/2 | 60226          |

Месяц Гвардана

1997 г.

Обсерватория Урсумок

Принятые значения цен, делений шкалы Урсумок - 2

| °D |                                   |         | °H |                                   |        | °I |                                   |        |
|----|-----------------------------------|---------|----|-----------------------------------|--------|----|-----------------------------------|--------|
| с  | по                                | велич.  | с  | по                                | велич. | с  | по                                | велич. |
|    | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | 0.52/мм |    | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | 3.0/мм |    | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | 5.0/мм |
|    |                                   |         |    |                                   |        |    | ET                                |        |
|    |                                   |         |    |                                   |        |    | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | 1.3/мм |

Принятые базисные значения

| D <sub>0</sub> |                                   |          | H <sub>0</sub> |                                   |        | I <sub>0</sub> |                                    |        |
|----------------|-----------------------------------|----------|----------------|-----------------------------------|--------|----------------|------------------------------------|--------|
| с              | по                                | велич.   | с              | по                                | велич. | с              | по                                 | велич. |
|                | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | 2° 00.2' |                | $0^{\circ} 1/2 - 24^{\circ} 28/2$ | 18976  |                | $0^{\circ} 1/2 - 24^{\circ} 31/2$  | 57119  |
|                | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | 2° 00.0  |                | $0^{\circ} 1/2 - 24^{\circ} 31/2$ | 18985  |                | $0^{\circ} 1/2 - 24^{\circ} 31/2$  | 57118  |
|                |                                   |          |                |                                   |        |                | $0^{\circ} 20/2 - 24^{\circ} 28/2$ | 57119  |
|                |                                   |          |                |                                   |        |                | $0^{\circ} 1/2 - 24^{\circ} 12/2$  | 57120  |
|                |                                   |          |                |                                   |        |                | $0^{\circ} 13/2 - 24^{\circ} 13/2$ | 57126  |
|                |                                   |          |                |                                   |        |                | $0^{\circ} 18/2 - 24^{\circ} 31/2$ | 57226  |
|                |                                   |          |                |                                   |        |                | To                                 |        |
|                |                                   |          |                |                                   |        |                | $0^{\circ} 1/2 - 6^{\circ} 6/2$    | 60236  |
|                |                                   |          |                |                                   |        |                | $7^{\circ} 6/2 - 24^{\circ} 13/2$  | 60252  |
|                |                                   |          |                |                                   |        |                | $0^{\circ} 18/2 - 24^{\circ} 23/2$ | 60254  |
|                |                                   |          |                |                                   |        |                | $0^{\circ} 1/2 - 24^{\circ} 14/2$  | 60253  |
|                |                                   |          |                |                                   |        |                | $0^{\circ} 15/2 - 24^{\circ} 31/2$ | 60259  |



Обсерватория Иркутск

Принятые значения цен, делений шкалы

Иркутск - 1

| °D                              |    | велич.      | °H                              |    | велич.     | °I                              |            |
|---------------------------------|----|-------------|---------------------------------|----|------------|---------------------------------|------------|
| с                               | по |             | с                               | по |            | с                               | по         |
|                                 |    |             |                                 |    |            |                                 |            |
| $0^{\circ}1'IV-24^{\circ}30'VI$ |    | $0.37''/мм$ | $0^{\circ}1'VI-24^{\circ}30'VI$ |    | $3.1''/мм$ | $0^{\circ}1'IV-24^{\circ}30'VI$ | $2.4''/мм$ |
|                                 |    |             |                                 |    |            | EF                              |            |
|                                 |    |             |                                 |    |            | $0^{\circ}1'IV-24^{\circ}30'VI$ | $1.8''/мм$ |

Принятые базисные значения

| D <sub>0</sub>                  |    | велич.            | H <sub>0</sub>                  |    | велич.          | I <sub>0</sub>                   |                 |
|---------------------------------|----|-------------------|---------------------------------|----|-----------------|----------------------------------|-----------------|
| с                               | по |                   | с                               | по |                 | с                                | по              |
| $0^{\circ}1'IV-24^{\circ}30'IV$ |    | $-1^{\circ}56.2'$ | $0^{\circ}1'IV-24^{\circ}30'IV$ |    | $18972^{\circ}$ | $0^{\circ}1'IV-24^{\circ}11'IV$  | $57108^{\circ}$ |
| $0^{\circ}1'V-24^{\circ}30'VI$  |    | $-1^{\circ}56.1'$ | $0^{\circ}1'V-24^{\circ}31'V$   |    | $18973^{\circ}$ | $0^{\circ}12'IV-24^{\circ}30'IV$ | $57109^{\circ}$ |
|                                 |    |                   | $0^{\circ}1'VI-24^{\circ}30'VI$ |    | $18975^{\circ}$ | $0^{\circ}1'V-24^{\circ}31'V$    | $57110^{\circ}$ |
|                                 |    |                   |                                 |    |                 | $0^{\circ}1'VI-24^{\circ}30'VI$  | $57109^{\circ}$ |
|                                 |    |                   |                                 |    |                 | F <sub>0</sub>                   |                 |
|                                 |    |                   |                                 |    |                 | $0^{\circ}1'IV-24^{\circ}30'VI$  | $60227^{\circ}$ |





Месяц III квартал

1997 г.

Обсерватория Цркутск

Принятые значения цен, делений шкалы Цркутск I

| D               |         | H               |        |        | Z               |        |        |
|-----------------|---------|-----------------|--------|--------|-----------------|--------|--------|
| по              | велич.  | с               | по     | велич. | с               | по     | велич. |
| 0°1/II-24°30/IX | 0.37/мм | 0°1/II-24°30/IX | 3.1/мм |        | 0°1/II-24°30/IX | 2.4/мм |        |
|                 |         |                 |        |        | EF              |        |        |
|                 |         |                 |        |        | 0°1/II-24°30/IX | 1.8/мм |        |

Принятые базисные значения

| D <sub>0</sub>   |          | H <sub>0</sub>   |       | Z <sub>0</sub>   |       |        |
|------------------|----------|------------------|-------|------------------|-------|--------|
| с                | по       | с                | по    | с                | по    | велич. |
| 0°1/II-24°31/III | -1°55.9' | 0°1/II-24°31/III | 18974 | 0°1/II-24°31/III | 57114 |        |
| 0°1/IX-24°30/IX  | -1°55.8' | 0°1/II-24°30/IX  | 18975 | 0°1/II-24°30/IX  | 57112 |        |
|                  |          |                  |       | F                |       |        |
|                  |          |                  |       | 0°1/II-24°30/IX  | 60227 |        |

Принятые значения цен, делений шкалы Црлуток 2

| °D |                                   |                   | °П |                                   |                   | °Z |                                    |                   |
|----|-----------------------------------|-------------------|----|-----------------------------------|-------------------|----|------------------------------------|-------------------|
| с  | по                                | велич.            | с  | по                                | велич.            | с  | по                                 | велич.            |
|    | $0^{\circ}1/II - 24^{\circ}30/IX$ | $0.52^{\circ}/MM$ |    | $0^{\circ}1/II - 24^{\circ}30/IX$ | $3.0^{\circ}/M14$ |    | $0^{\circ}1/III - 24^{\circ}30/IX$ | $3.0^{\circ}/M14$ |
|    |                                   |                   |    |                                   |                   |    |                                    | EF                |
|    |                                   |                   |    |                                   |                   |    | $0^{\circ}1/III - 24^{\circ}30/IX$ | $1.3^{\circ}/M14$ |

Принятые базисные значения

| D <sub>0</sub> |                                     |                   | H <sub>0</sub> |                                     |        | Z <sub>0</sub> |                                     |        |
|----------------|-------------------------------------|-------------------|----------------|-------------------------------------|--------|----------------|-------------------------------------|--------|
| с              | по                                  | велич.            | с              | по                                  | велич. | с              | по                                  | велич. |
|                | $0^{\circ}1/III - 24^{\circ}31/III$ | $-1^{\circ}59.7'$ |                | $0^{\circ}1/III - 24^{\circ}31/III$ | 18978  |                | $0^{\circ}1/III - 24^{\circ}30/IX$  | 57138  |
|                | $0^{\circ}1/IX - 24^{\circ}30/IX$   | $-1^{\circ}59.6$  |                | $0^{\circ}1/III - 24^{\circ}31/III$ | 18979  |                |                                     |        |
|                |                                     |                   |                | $0^{\circ}1/IX - 24^{\circ}30/IX$   | 18978  |                |                                     | F      |
|                |                                     |                   |                |                                     |        |                | $0^{\circ}1/III - 24^{\circ}31/III$ | 60261  |
|                |                                     |                   |                |                                     |        |                | $0^{\circ}1/IX - 24^{\circ}31/IX$   | 60260  |
|                |                                     |                   |                |                                     |        |                | $0^{\circ}4/IX - 24^{\circ}30/IX$   | 60259  |



Обсерватория Цркунток

Принятые значения цен, делений шкалы Цркунток - кварц

| °D                |    | °II                     |    | °I                      |    |
|-------------------|----|-------------------------|----|-------------------------|----|
| с                 | по | с                       | по | с                       | по |
| велич.            |    | велич.                  |    | велич.                  |    |
| 0° 1/м - 24° 30/к |    | 125.5 <sup>МТМ</sup> /м |    | 0° 1/м - 24° 30/к       |    |
|                   |    |                         |    | 129.2 <sup>МТМ</sup> /м |    |
|                   |    |                         |    | 0° 1/м - 24° 30/к       |    |
|                   |    |                         |    | 128.8 <sup>МТМ</sup> /м |    |

Принятые базисные значения

| D <sub>0</sub>    |    | H <sub>0</sub> |    | Z <sub>0</sub>    |    |
|-------------------|----|----------------|----|-------------------|----|
| с                 | по | с              | по | с                 | по |
| велич.            |    | велич.         |    | велич.            |    |
| 0° 1/м - 24° 31/м |    | -2° 04.6'      |    | 0° 1/м - 24° 31/м |    |
|                   |    |                |    | 19044'            |    |
|                   |    |                |    | 0° 1/м - 24° 31/м |    |
|                   |    |                |    | 57 М4'            |    |
| 0° 1/к - 24° 30/к |    | -2° 04.5'      |    | 0° 1/к - 24° 30/к |    |
|                   |    |                |    | 19045'            |    |
|                   |    |                |    | 0° 1/м - 24° 30/к |    |
|                   |    |                |    | 54 М3'            |    |